

SSO Notification List

August 2013

Serial No.	Date of Occurrence	Location	Zip Code	Reason	Dry or Wet-Weather Overflow?	Stream Affected	Duration (Hrs:Min)	Time	Description of Discharge	Est. Quantity of Discharge (gallons)	Measures taken to Minimize Discharge	Preventive Action to Stop Recurrence	Work Order #
1	8/1/2013	2713 W North Ave	21216	Leak	WVO	N/A	Not Witnessed	Overflow not Witnessed	Gray Water, Paper Debris	Evidence of Overflow	N/A	Code Violation #1004492A-1	SR#112586
2	8/2/2013	251 S Morley St	21229	Roots	DWO	N/A	Not Witnessed	Overflow not Witnessed	Paper Debris	Evidence of Overflow	Elec Machine Rel	House Conn Choke	163399
3	8/4/2013	4000 Harford Rd	21218	Rags, Grease	DWO	N/A	Not Witnessed	Overflow not Witnessed	Gray Water in Gutter with Rags	Evidence of Overflow	Used Pressure Truck to Relieve Mainline	Turn Over to UAMD to Investigate	163474
4	8/5/2013	3208 Taney Rd	21215	Rags	DWO	N/A	Not Witnessed	Overflow not Witnessed	Paper & Debris	Evidence of Overflow	Rel 60ft Elec Machine	UAMD	163501
5	8/5/2013	1618 N Regester St	21213	Rags, Grease	DWO	N/A	Not Witnessed	Overflow not Witnessed	Paper Debris	Evidence of Overflow	Drain Cleaning Machine Relieved the House Connection Choke	UAMD	163528
6	8/6/2013	3800 E Baltimore St	21224	Roots	WVO	N/A	Not Witnessed	Overflow not Witnessed	Paper	Evidence of Overflow	Relieved with Pressure Jet Truck	UAMD to Investigate/CCTV	163696
7	8/7/2013	2836 Maryland Ave	21218	Rags, Grease	WVO	N/A	1:18	7:00PM - 8:18PM	Gray Colored Water	39	Used Press Jet	Will CCTV Mainline	163785
8	8/8/2013	811 N Calhoun St	21217	Grease	WVO	N/A	Not Witnessed	Overflow not Witnessed	Sewer Water, Paper Debris	Evidence of Overflow	Drain Cleaning Machine Relieved Choke	UAMD	163789
9	8/9/2013	700 N Martin Luther King Blvd	21201	Rags, Grease	WVO	Harbor	2:38	12:22PM - 3:00PM	Grease & Gray Water	316	Pressure Truck	Turn Over to UAMD	163890
10	8/9/2013	5028 Queensberry Ave	21215	N/A	WVO	N/A	Not Witnessed	Overflow not Witnessed	Paper	Evidence of Overflow	Elec Machine Rel Choke	UAMD	163886
11	8/10/2013	3201 Abell Ave	21218	Grease, Trash	WVO	N/A	0:52	9:03PM - 9:55PM	Gray Muddy Water	104	40ft of Pressure Hose to Break Choke	Routine Cleaning	163948
12	8/10/2013	3447 Spelman Rd	21225	Rags, Grease, Trash	WVO	Patapsco	2:13	6:22PM - 8:35PM	Muddy Gray Water Large Amount of	3325	Use 250 ft of Pressure Hose	Routine Cleaning	163940
13	8/12/2013	22 Merrymount Rd	21210	N/A	DWO	N/A	Not Witnessed	Overflow not Witnessed	Paper	Evidence of Overflow	Rel By Private Paper	Turn Over to UAMD to Investigate	164016
14	8/12/2013	4600 Pulaski Hwy	21224	N/A	DWO	Herring Run	0:45	3:30PM - 4:15PM	Brown Water Debris	225	Used Pressure Truck	Turn Over to UAMD to Investigate	164011
15	8/13/2013	3800 E Baltimore St	21224	Rags, Grease	WVO	Herring Run	2:55	10:35AM - 1:30PM	Grease Dough	875	Used 400ft of Pressure Truck House	Will Turn Over to UAMD	164035
16	8/13/2013	4002 Kathland Ave	21207	N/A	WVO	N/A	Not Witnessed	Overflow not Witnessed	Grease Paper	Evidence of Overflow	Pressure Truck Rel. Choke	UAMD	164052
17	8/15/2013	430 Ilchester Ave	21218	Rags, Grease	DWO	N/A	Not Witnessed	Overflow not Witnessed	Gray Colored Water	Evidence of Overflow	Used Electric Mach to Relieve Conn	CCTV	164143
18	8/15/2013	1827 Covington St	21230	Rags	DWO	N/A	1:00	08/15/13 11:00PM - 08/16/13 12:00AM	Gray Colored Water	30	Used Elec Mach to Relieve Conn	UAMD	164159
19	8/15/2013	6309 Leith Walk	21239	Rags, Grease	DWO	N/A	Not Witnessed	Overflow not Witnessed	Wet Paper	Evidence of Overflow	Used Elec Mach to Relieve Conn	UAMD CCTV	164154
20	8/15/2013	Greenspring Ave & Dupont Ave	21209	N/A	DWO	N/A	Not Witnessed	Overflow not Witnessed	Rags & Debris	Evidence of Overflow	Rel Electric Machine	UAMD	164128
21	8/16/2013	Maryland Ave & W 29th St	21218	Rags	DWO	Jones Falls	5:56	8:34AM - 2:30PM	Gray Water	712	Pressure Truck Left Plumber Notice	UAMD	164168
22	8/17/2013	1128 N Gilmor St	21217	Broken Clean Out Tap	DWO	Jones Falls	1:53	5:04PM - 6:57PM	N/A	226	Rel with Electric Machine	UAMD	164212
23	8/18/2013	1701 Sulgrave Ave	21209	Shifted Pipe	WVO	N/A	Not Witnessed	Overflow not Witnessed	N/A	Evidence of Overflow	Rel Elec Machine	UAMD	164234
24	8/19/2013	219 N Calhoun St	21223	Rags	DWO	Low Level	4:07	10:43AM - 2:50PM	Heavy Gray Water	494	Relieved House Conn Choke with Elec Mach 30ft of 6 inch	N/A	164266
25	8/19/2013	4790 Melbourne Rd	21229	Rags, Roots	DWO	N/A	Not Witnessed	overflow not Witnessed	Paper Debris	Evidence of Overflow	Drain Cleaning Machine Relieved H/C Choke	UAMD	164295
26	8/19/2013	6400 O'Donnell St	21224	N/A	DWO	N/A	1:00	9:00AM - 10:00AM	Heavy Gray Water	600	Pressure Set Relieved Choke	UAMD Investigate CCTV	164261
27	8/19/2013	Dupont Ave & Greenspring Ave	21209	Rags, Grease	DWO	Outfall	0:16	1:39PM - 1:55PM	Heavy Gray Water	16	Relieved House Conn Choke with Press Truck 10ft of 6 inch Bottom	N/A	164276
28	8/19/2013	4443 Clifton Rd	21216	Rags, Roots	DWO	Gwynns Falls	17:08	08/19/13 7:52PM - 08/20/13 1:00PM	Heavy Gray Water	3084	Relieved M/L Choke with Press Truck 250ft of 8inch San ML	T/O for CCTV	164301
29	8/19/2013	4224 Falls Rd	21211	Rags	DWO	N/A	Not Witnessed	Overflow not Witnessed	Wet - Paper Around Cleanout	Evidence of Overflow	Used Elec Mach to Relieve	UAMD	164306
30	8/20/2013	509 S Hanover St	21201	N/A	DWO	N/A	Not Witnessed	Overflow not Witnessed	Wet Paper Around Clean Out	Evidence of Overflow	Used Elec Mach	CCTV	164350
31	8/20/2013	Cyburn Ave & Greenspring Ave	21215	Rags, Grease	DWO	Jones Falls	4:30	3:00PM - 7:30PM	Gray Colored Water, Paper	810	Used Sewer Jet	UAMD	164335
32	8/21/2013	115 S Wolfe St	21231	N/A	WVO	N/A	Not Witnessed	Overflow not Witnessed	Sewer Water	Evidence of Overflow	Turned Over to Health Dept Complaint # 658776	N/A	164413
33	8/21/2013	404 Lyman Ave	21212	Pipe Break	WVO	N/A	Not Witnessed	Overflow not Witnessed	Paper	Evidence of Overflow	Relieved with Set	UAMD Investigate & CCTV	164411
34	8/21/2013	1225 N Broadway	21213	Grease	WVO	N/A	Not Witnessed	Overflow not Witnessed	Evidence Paper Grease	Evidence of Overflow	Will Turn Over for Repair/ Some Relief	Will Make Repair at Property Line	164342
35	8/23/2013	534 E Clement St	21230	Rags, Grease	WVO	N/A	Not Witnessed	Overflow not Witnessed	Evidence	Evidence of Overflow	Used Sewer Jet Used Elec Mach	UAMD	164523
36	8/23/2013	811 N Calhoun St	21217	N/A	WVO	N/A	Not Witnessed	Overflow not Witnessed	Gray Colored Water	Evidence of Overflow	Used Sewer Jet Used Elec Mach	Not Relieved Will CCTV	164511
37	8/23/2013	3541 Liberty Heights Ave	21215	N/A	WVO	N/A	3:00	6:30PM - 9:30PM	Gray Colored Water	90	Used Elec Mach to Relieve	CCTV	164526
38	8/23/2013	2200 Arden Rd	21209	Rags, Roots	WVO	N/A	Not Witnessed	Overflow not Witnessed	N/A	Evidence of Overflow	Relieved House Conn Choke with Elec Mach 30ft 7:2ft to the Bottom to 11:7ft Main	N/A	164489
39	8/25/2013	1 N Decker St	21224	Rags	DWO	Inner Harbor	3:00	10:40AM - 1:40PM	Gray Water	360	Used Pressure Truck	Will Turn Over to UAMD to Investigate	164559
40	8/25/2013	2300 Cyburn Ave	21209	Rags, Grease, Trash	DWO	Jones Falls	0:23	12:17PM - 12:40PM	Rags and Debris	115	Used Pressure to Relieve	Will Turn over for UAMD to Inspect	164561

SSO Notification List

August 2013

Serial No.	Date of Occurrence	Location	Zip Code	Reason	Dry or Wet-Weather Overflow?	Stream Affected	Duration (Hrs:Min)	Time	Description of Discharge	Est. Quantity of Discharge (gallons)	Measures taken to Minimize Discharge	Preventive Action to Stop Recurrence	Work Order #
41	8/27/2013	4 Hillside Rd	21210	Rags	WWO	Jones Falls	1:18	10:12AM - 11:30AM	Heavy Gray Water	156	Relieved ML Choke with Press Truck 150ft of 6inch San ML	N/A	164644
42	8/27/2013	431 Notre Dame Ln	21212	Rags	WWO	N/A	0:28	10:44AM - 11:12AM	Heavy Gray Water	140	Pressure Jet Relieved	UAMD Investigate and CCTV	164649
43	8/27/2013	1229 N Bentalou St	21216	Rags, Roots	WWO	N/A	Not Witnessed	Overflow not Witnessed	N/A	Evidence of Overflow	Relieved House Conn Choke with Elec Mach 30ft TV 6.2ft Bottom 44.1ft Main	N/A	164641
44	8/28/2013	1615 Ashburton St	21216	N/A	WWO	N/A	Not Witnessed	Overflow not Witnessed	N/A	Evidence of Overflow	Relieved House Conn Choke with Elec Mach 45ft of 6inch CCTV 3 Bottom 26.3ft Main	N/A	164683
45	8/29/2013	2609 Huntingdon Ave	21211	Rags	WWO	N/A	Not Witnessed	Overflow not Witnessed	Wet Paper on Ground	Evidence of Overflow	Used Elec Mach to Relieve	UAMD-CCTV	164736
46	8/30/2013	1327 S Hanover St	21230	Rags	DWO	N/A	Not Witnessed	Overflow not Witnessed	Wet Paper Around Clean-Out	Evidence of Overflow	Used Elec Mach-By Pass Pumping	UAMD - CCTV	164780
47	8/31/2013	1645 Northwick Ct	21218	Roots	DWO	N/A	Not Witnessed	Overflow not Witnessed	N/A	Evidence of Overflow	Ran 28ft of Electric Cable Could not Pass Refer for ML Choke Car Park on MH	N/A	164801
				# WWO	23				TOTAL	11,717	EVIDENCE ONLY	28	